

Revision Date 29-Apr-2020

SAFETY DATA SHEET

Version 4

1. IDENTIFICATION

Product identifier Product Name

VERSACHEM MUFFLER CAST® BANDAGE KIT

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UseAutomotive Care ProductUses advised againstNo information available

10151

Details of the supplier of the safety data sheet Manufacturer Address ITW Permatex 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity

Category 2

Label elements

Signal word Warning Suspected of causing cancer

Appearance Black	Physical state Tape with Liquid	Odor Slight
Precautionary Statements - Preven Obtain special instructions before use Do not handle until all safety precaution Use personal protective equipment as	e ons have been read and understood	
Precautionary Statements - Responses IF exposed or concerned: Get medication		
Precautionary Statements - Storag Store locked up	e	
Precautionary Statements - Dispos Dispose of contents/container to an a		
Hazards not otherwise classified (H Not applicable	INOC)	
Other Information Not applicable.		
Unknown acute toxicity	0% of the mixture consists of ingredient(s) of unknown	toxicity
3. C	OMPOSITION/INFORMATION ON INGREDIEI	NTS
Chemical Name CARBON BLACK	CAS No 1333-86-4	NTS Weight-% 1 - 5
Chemical Name	CAS No 1333-86-4	Weight-%
Chemical Name	CAS No	Weight-%
Chemical Name CARBON BLACK	CAS No 1333-86-4	Weight-%
Chemical Name CARBON BLACK Description of first aid measures	CAS No 1333-86-4 4. FIRST AID MEASURES	Weight-% 1 - 5
Chemical Name CARBON BLACK Description of first aid measures General advice	CAS No 1333-86-4 4. FIRST AID MEASURES Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several mir present and easy to do. Continue rinsing. If eye irritation	Weight-% 1 - 5 nutes. Remove contact lenses, if n persists: Get medical itation persists, call a physician.
Chemical Name CARBON BLACK Description of first aid measures General advice Eye contact	CAS No 1333-86-4 4. FIRST AID MEASURES Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several mir present and easy to do. Continue rinsing. If eye irritation advice/attention. IF ON SKIN:. Wash skin with soap and water. If skin irrit	Weight-% 1 - 5 hutes. Remove contact lenses, if n persists: Get medical itation persists, call a physician.

Most important symptoms and effects, both acute and delayed

Self-protection of the first aider

Symptoms See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

protect themselves.

Ensure that medical personnel are aware of the material(s) involved and take precautions to

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media None

<u>Specific hazards arising from the chemical</u> None in particular.

Explosion dataSensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeNone.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required.	
Environmental precautions		
Environmental precautions	See section 12 for additional ecological information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use personal protective equipment as required.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.	
Incompatible materials	Strong oxidizing agents, Acids	

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
CARBON BLACK 1333-86-4	TWA: 3 mg/m ³ inhalable particulate matter	TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH
NIOSH IDLH Immediately Dang	erous to Life or Health		
Other Information	Vacated limits revoked by t (11th Cir., 1992).	he Court of Appeals decision ir	n AFL-CIO v. OSHA, 965 F.2d 962
Appropriate engineering contr	<u>ols</u>		
Engineering Controls	Showers Eyewash stations Ventilation systems		
Individual protection measures	s, such as personal protective e	quipment	
Eye/face protection	Wear safety glasses with si	de shields (or goggles).	
Skin and body protection	Wear protective natural rub	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.	
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, a appropriate.		vapor cartridge or canister, as
General Hygiene Consideration		Handle in accordance with good industrial hygiene and safety practice. Regular cleaning c equipment, work area and clothing is recommended.	

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Tape with Liquid	
Appearance	Black	
Odor	Slight	
Odor threshold	No information available	
Property_	<u>Values</u>	Remarks • Method
рН	10-11	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Relative density	1.32	
Water solubility	Partially soluble	
Solubility(ies)	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

Softening point Molecular weight VOC Content (%) Density Bulk density SADT (self-accelerating decomposition temperature) No information available No information available No information available No information available No information available

10. STABILITY AND REACTIVITY

<u>Reactivity</u> No information available

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents, Acids

Hazardous Decomposition Products Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
CARBON BLACK	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
1333-86-4			

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen.				
Chemical Name	ACGIH	ACGIH IARC NTP OSHA			
CARBON BLACK	A3	Group 2B	-	Х	
1333-86-4		-			
ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present					

Target Organ Effects

Eyes, Lymphatic System, Respiratory system.

The following values are calculated based on chapter 3.1 of the GHS document .ATEmix (oral)5540 mg/kgATEmix (dermal)11717 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

2 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability No information available.

<u>Bioaccumulation</u> No information available.

Mobility No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

 Disposal of wastes
 Disposal should be in accordance with applicable regional, national and local laws and regulations.

 Contaminated packaging
 Do not reuse container.

 US EPA Waste Number
 Not applicable

14. TRANSPORT INFORMATION

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

15. REGULATORY INFORMATION		
International Inventories	<u>i</u>	
TSCA	Complies	
DSL/NDSL	Complies	
EINECS/ELINCS	Complies	
ENCS	Complies	
IECSC	Complies	
KECL	Complies	
	·	

PICCS
AICS

Complies Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

- DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
1000.00.1	*Carcinogen (airborne, unbound particles of respirable size)

• *The asterisked chemical(s) listed are not subject to Proposition 65 because they are not airborne in the finished product U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
WATER	-	-	Х
7732-18-5			
CARBON BLACK	Х	Х	Х
1333-86-4			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2B - Toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability 0	Instability 0	- Personal protection B
HMIS	Health hazards 2	Flammability 0	Physical hazards 0	

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date

29-Apr-2020

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet