

Revision Date 23-Jun-2020

SAFETY DATA SHEET

Version 2

1. IDENTIFICATION

Product identifier Product Name

VC Muffler Cast Exhaust Repair Kit

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UseAutomotive Care ProductUses advised againstNo information available

90101

Details of the supplier of the safety data sheet Manufacturer Address ITW Permatex 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity

Category 1B

Label elements

Emergency Overview

 Signal word

 Danger

 May cause cancer

Appearance No information availab	le Physical state Solid	Odor	No information available		
Precautionary Statements - Preven Obtain special instructions before use Do not handle until all safety precauti Use personal protective equipment as	tion e ons have been read and understood				
Precautionary Statements - Respon IF exposed or concerned: Get medica	n se al advice/attention				
Precautionary Statements - Storag Store locked up	e				
Precautionary Statements - Dispose Dispose of contents/container to an a					
Hazards not otherwise classified (H Not applicable	INOC)				
Other Information Not applicable.					
Unknown acute toxicity	0% of the mixture consists of ingredient(s) of unknow	wn toxicity			
3. C	3. COMPOSITION/INFORMATION ON INGREDIENTS				
Chemical Name	CAS No 142844-00-6		Weight-% 30 - 60		
Chemical Name REFRACTORY CERAMIC FIBERS (RCF)			Weight-% 30 - 60		
REFRACTORY CERAMIC FIBERS					
REFRACTORY CERAMIC FIBERS	142844-00-6				
REFRACTORY CERAMIC FIBERS (RCF)	142844-00-6				
REFRACTORY CERAMIC FIBERS (RCF)	142844-00-6 4. FIRST AID MEASURES		30 - 60		
REFRACTORY CERAMIC FIBERS (RCF) Description of first aid measures General advice	142844-00-6 4. FIRST AID MEASURES Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several present and easy to do. Continue rinsing. If eye irritation if eye irritation if you feel unwell.	ation persists: (in irritation persi	30 - 60 ove contact lenses, if Get medical		
REFRACTORY CERAMIC FIBERS (RCF) Description of first aid measures General advice Eye contact	4. FIRST AID MEASURES Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several present and easy to do. Continue rinsing. If eye irrita advice/attention. IF ON SKIN:. Wash skin with soap and water. If skin	ation persists: () irritation persi Ise.	30 - 60 ove contact lenses, if Get medical sts, call a physician.		
REFRACTORY CERAMIC FIBERS (RCF) Description of first aid measures General advice Eye contact Skin contact	4. FIRST AID MEASURES Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several present and easy to do. Continue rinsing. If eye irrita advice/attention. IF ON SKIN:. Wash skin with soap and water. If skin Take off contaminated clothing and wash before reu IF INHALED: Remove victim to fresh air and keep ad	ation persists: (n irritation persi lse. t rest in a posit	30 - 60 ove contact lenses, if Get medical ists, call a physician. ion comfortable for		
REFRACTORY CERAMIC FIBERS (RCF) Description of first aid measures General advice Eye contact Skin contact Inhalation	4. FIRST AID MEASURES Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several present and easy to do. Continue rinsing. If eye irrita advice/attention. IF ON SKIN:. Wash skin with soap and water. If skin Take off contaminated clothing and wash before reu IF INHALED: Remove victim to fresh air and keep at breathing. If symptoms persist, call a physician. IF SWALLOWED:. Do NOT induce vomiting. Never	ation persists: (n irritation persi ise. t rest in a posit give anything t	30 - 60 ove contact lenses, if Get medical ists, call a physician. ion comfortable for by mouth to an		
REFRACTORY CERAMIC FIBERS (RCF) Description of first aid measures General advice Eye contact Skin contact Inhalation Ingestion	4 142844-00-6 4. FIRST AID MEASURES Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several present and easy to do. Continue rinsing. If eye irrita advice/attention. IF ON SKIN:. Wash skin with soap and water. If skin Take off contaminated clothing and wash before reu IF INHALED: Remove victim to fresh air and keep at breathing. If symptoms persist, call a physician. IF SWALLOWED:. Do NOT induce vomiting. Never unconscious person. Call a physician. Ensure that medical personnel are aware of the mat protect themselves.	ation persists: (n irritation persi ise. t rest in a posit give anything t	30 - 60 ove contact lenses, if Get medical ists, call a physician. ion comfortable for by mouth to an		
REFRACTORY CERAMIC FIBERS (RCF) Description of first aid measures General advice Eye contact Skin contact Inhalation Ingestion Self-protection of the first aider	4 142844-00-6 4. FIRST AID MEASURES Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several present and easy to do. Continue rinsing. If eye irrita advice/attention. IF ON SKIN:. Wash skin with soap and water. If skin Take off contaminated clothing and wash before reu IF INHALED: Remove victim to fresh air and keep at breathing. If symptoms persist, call a physician. IF SWALLOWED:. Do NOT induce vomiting. Never unconscious person. Call a physician. Ensure that medical personnel are aware of the mat protect themselves.	ation persists: (n irritation persi ise. t rest in a posit give anything t	30 - 60 ove contact lenses, if Get medical ists, call a physician. ion comfortable for by mouth to an		

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Use dry chemical, Foam

Unsuitable extinguishing media None

Specific hazards arising from the chemical None in particular.

Explosion dataSensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeNone.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use personal protective equipment as required.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.		
Conditions for safe storage, includ	ing any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Incompatible materials	Strong oxidizing agents		
8. EX	POSURE CONTROLS/PERSONAL PROTECTION		

Control parameters

Exposure Guidelines

Т

Chamical Name

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
REFRACTORY CERAMIC FIBERS	TWA: 0.2 fiber/cm3 respirable	-	-	
(RCF)	fibers: length >5 µm, aspect ratio			
142844-00-6	>=3:1, as determined by the			
	membrane filter method at			
	400-450X magnification [4-mm			
	objective], using phase-contrast			
	illumination			
Appropriate engineering control	<u>ols</u>			
Engineering Controls	Showers			
0 0	Eyewash stations			
	Ventilation systems			
	,			
Individual protection measures	s, such as personal protective	equipment		
Eye/face protection	Wear safety glasses with s	side shields (or goggles).		
Skin and body protection	Wear protective natural ru	bber, nitrile rubber, Neoprene™	or PVC gloves.	
	•	· · ·	0	
Respiratory protection	Use NIOSH-approved air- appropriate.	purifying respirator with organic	vapor cartridge or canister, as	
General Hygiene Consideration		Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.		

Т

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties Dhysical state

Physical state	Solid
Appearance	No information available
Odor	No information available
Odor threshold	No information available
Dreverty	Values
Property	Values
рН	No information available
Melting point / freezing point	No information available
Boiling point / boiling range	No information available
Flash point	No information available
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Polativo donsity	No information available

Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature **Decomposition temperature** Kinematic viscosity Dynamic viscosity **Explosive properties Oxidizing properties**

Other Information Softening point Molecular weight Density **Bulk density**

е е е е No information available No information available

No information available No information available No information available No information available Remarks • Method

SADT (self-accelerating decomposition temperature)

No information available

10. STABILITY AND REACTIVITY

<u>Reactivity</u> No information available

<u>Chemical stability</u> Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid Excessive heat.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity	No informatio No informatio			
Carcinogenicity	The table bel	ow indicates whether eacl	h agency has listed any ingred	ient as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
REFRACTORY CERAMIC FIBERS (RCF) 142844-00-6	A2	Group 2B	Reasonably Anticipated	Х
A2 - Suspected Human C IARC (International Age Group 2B - Possibly Card Not classifiable as a hum NTP (National Toxicolo Reasonably Anticipated - OSHA (Occupational Sa X - Present	ency for Research on Cancel cinogenic to Humans an carcinogen gy Program) • Reasonably Anticipated to be afety and Health Administrat	r) e a Human Carcinogen tion of the US Department c	,	
The following values are	calculated based on cha	apter 3.1 of the GHS doc	ument .	

ATEmix (oral) 59643 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

8.25 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

<u>Bioaccumulation</u> No information available.

Mobility No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS			
Waste treatment methods			
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated packaging	Do not reuse container.		
US EPA Waste Number	Not applicable		

14. TRANSPORT INFORMATION

DOT Proper shipping name	Not regulated
IATA Proper shipping name	Not regulated
IMDG Proper shipping name	Not regulated

15. REGULATORY INFORMATION					
International Inventories					
TSCA	-				
DSL/NDSL	-				
EINECS/ELINCS	-				
ENCS	-				
IECSC	-				
KECL	-				
PICCS	-				
AICS	-				

Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
REFRACTORY CERAMIC FIBERS (RCF)	Carcinogen
142844-00-6	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
REFRACTORY CERAMIC FIBERS	Х	-	-
(RCF)			
142844-00-6			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	
HMIS	

Health hazards 1 Health hazards 1 Flammability 0 Flammability 0

Instability 0 Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date

23-Jun-2020

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or

use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.