

Revision Date 19-Apr-2019

# SAFETY DATA SHEET

Version 4

# **1. IDENTIFICATION**

#### Product identifier Product Name

VERSACHEM WINDSHIELD REPAIR KIT

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UseWindshield RepairUses advised againstNo information available

90110

Details of the supplier of the safety data sheet Manufacturer Address ITW Permatex 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

#### May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle

Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

# 2. HAZARDS IDENTIFICATION

#### **Classification**

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1

#### Label elements

**Emergency Overview** 

#### <u>Signal word</u> Warning

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



# **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing should not be allowed out of the workplace

#### **Precautionary Statements - Response**

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Not applicable

Unknown acute toxicity

47 % of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
2-HYDROXYETHYL	868-77-9	50-80
METHACRYLATE		
2,2 -(ETHYLENEDIOXY)DIETHYL	1680-21-3	1 - 5
DIACRYLATE		
ACRYLIC ACID	79-10-7	1 - 5

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contact	IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.				
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.				
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.				
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.				
Most important symptoms and effe	ects, both acute and delayed				
Symptoms	May cause allergic skin reaction.				
Indication of any immediate medic	cal attention and special treatment needed				
Note to physicians	Treat symptomatically.				
	5. FIRE-FIGHTING MEASURES				
Suitable extinguishing media Carbon dioxide (CO2), Dry chemical	, Foam				
Unsuitable extinguishing media None					
Specific hazards arising from the on None in particular.	<u>chemical</u>				
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.				
Protective equipment and precaut As in any fire, wear self-contained br protective gear.	<u>ions for firefighters</u> eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions, protective e	equipment and emergency procedures				
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin Use personal protective equipment as required.				
Environmental precautions					
Environmental precautions	See section 12 for additional ecological information.				
Methods and material for containn	nent and cleaning up				
Methods for containment	Prevent further leakage or spillage if safe to do so.				
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.				
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.				

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.
Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Store locked up.
Incompatible materials	Strong oxidizing agents

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID	TWA: 2 ppm	(vacated) TWA: 10 ppm	TWA: 2 ppm
79-10-7	S*	(vacated) TWA: 30 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>
		(vacated) S*	_

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems

#### Individual protection measures, such as personal protective equipment

.

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

<u>9.1. Information on basic physical a</u> Physical state Appearance Odor Odor threshold	and chemical properties Liquid Clear Mild No information available	
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure	Values6No information available205 °C / 401 °F97 °C / 207 °FNo information availableNo information availableNo information availableNo information available0.1 hPa @ 20°C (68°F)	<u>Remarks • Method</u>

Vapor density
Relative density
Water solubility
Solubility(ies)
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
Oxidizing properties

Other Information Softening point Molecular weight VOC Content (%) Density Bulk density SADT (self-accelerating decomposition temperature) No information available 1.03 Immiscible in water No information available No information available No information available No information available 100 mPas @ 20°C (68°F) No information available No information available

No information available No information available 0 No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

# Reactivity\_\_\_\_\_

No information available

#### Chemical stability

Stable under normal conditions

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Excessive heat.

#### Incompatible materials

Strong oxidizing agents

#### **Hazardous Decomposition Products**

Carbon oxides

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-HYDROXYETHYL	= 5050 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
METHACRYLATE			
868-77-9			
2,2 -(ETHYLENEDIOXY)DIETHYL	= 500 mg/kg (Rat)	= 1900 mg/kg (Rabbit)	-
DIACRYLATE			
1680-21-3			
ACRYLIC ACID	= 193 mg/kg (Rat) = 33500 µg/kg	= 295 mg/kg (Rabbit) = 280 µL/kg	= 11.1 mg/L (Rat) 1 h = 3.6 mg/L
79-10-7	(Rat)	(Rabbit)	( Rat ) 4 h

Information on toxicological	effects			
Symptoms	No information available.			
Delayed and immediate effect	<u>ts as well as chroni</u>	c effects from short and	ong-term exposure	
Sensitization		No information available.		
Germ cell mutagenicity	No information			
Carcinogenicity Chemical Name	ACGIH	low indicates whether each	n agency has listed any ing	osha
ACRYLIC ACID		Group 3	- NIP	- USHA
79-10-7				
IARC (International Agency f		er)		
Not classifiable as a human ca	0	eter eveter Chin		
Target Organ Effects	Eyes, Respir	ratory system, Skin.		
The following values are calc	ulated based on ch	apter 3.1 of the GHS doci	ument .	
ATEmix (oral)	2864 mg/kg	-		
ATEmix (dermal)	2772 mg/kg			
ATEmix (inhalation-dust/r				
	40 50		ATION	
	12. EC	OLOGICAL INFORM	ATION	
<u>Ecotoxicity</u>				
32 % of the mixture consists of	component(s) of unk	nown hazards to the aquat	ic environment	
Persistence and degradability No information available.	L			
Bioaccumulation				

**Bioaccumulation** No information available.

# Mobility

No information available.

Chemical Name	Partition coefficient
2-HYDROXYETHYL METHACRYLATE 868-77-9	0.47
ACRYLIC ACID 79-10-7	0.38 - 0.46

# Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

# **14. TRANSPORT INFORMATION**

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

# 15. REGULATORY INFORMATION

Complies
Complies
Complies
Complies
Complies
Not determined
Complies
Not determined

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
ACRYLIC ACID - 79-10-7	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACRYLIC ACID	5000 lb	-	RQ 5000 lb final RQ
79-10-7			RQ 2270 kg final RQ

#### US State Regulations

#### California Proposition 65

This product is not known to contain any chemicals listed as carcinogens or reproductive toxins.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACRYLIC ACID	Х	Х	Х
79-10-7			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### WHMIS Hazard Class

D2B - Toxic materials

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

1

1

NFPA	Health hazards	2	Flammability
HMIS	Health hazards	2	Flammability

Instability 0 Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 19-Apr-2019

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**